

Neck Spasms

What are neck spasms?

Neck spasms are involuntary contractions of the muscles in your neck. The muscles become tight, hard, and painful.

How do they occur?

Neck spasms may occur from an injury, overuse, poor posture, or stress. For example, it is common for a person doing a lot of computer work to feel his or her neck stiffen. Spasms may even occur from an uncomfortable night's sleep.

What are the symptoms?

The muscles in your neck feel hard, tight, and painful. When the muscles that extend from your shoulders to your head go into spasm, the spasms may even cause headaches. You may have tender spots in your neck, sometimes called

trigger points, that cause pain elsewhere.


How are they diagnosed?

Your doctor will review your medical history and examine your neck.

How are they treated?

- Stretching: Spasms are best treated with stretching exercises.
- Massage: You may be able to massage your neck yourself by finding the tight muscles and putting deep pressure on these muscles. You might also get a massage from a friend or therapist.
- Medication: Your doctor may recommend an anti-inflammatory medication such as ibuprofen or naproxen or may prescribe a muscle relaxant.
- Physical therapy: Your doctor may recommend physical therapy for an exercise program and other treatments.
- Injection: If the above treatments do not help the spasm get better, your doctor may recommend a shot of an anesthetic or a medicine like cortisone into the muscle.
- Stress management: Neck spasms are a common physical symptom caused by stress or depression.

Neck Strain and Neck Spasm



Neck Spasms

Identification of these problems and treatment of them may help considerably with neck spasms.

When can I return to my sport or activity?

You may return to your sport or activity when:

- You no longer have neck pain.

- You can move your neck fully and comfortably.

How can I help prevent neck spasms?

Know what you can do about the common causes of neck spasm: overuse, stress, and poor posture. For example, use good posture at your computer terminal, take frequent breaks, and do stretching exercises.

When you first feel tightness or pain in your neck, start the treatment that has helped you the most. Treating early, mild symptoms right away can often stop the symptoms from becoming worse. You may do these exercises right away.